



# LED LIGHTING

PRODUCT RECKONER

w.e.f 2nd April 2019



*It's a Bright Idea!*

# State-of-the-art Manufacturing Facilities




Lighting Plant - Noida




SMT Machine for World Class PCBs



Highbay Light Assembly Line



R&D Lab at Noida




Street Light Assembly Line

# CONTENTS

	Pg. No.
<b>INDUSTRIAL LIGHTS</b>	04-15
Highbay Light   Well Glass   Bulk Head   Industrial Batten   Canopy Light   Tunnel Light   Clean Room Light	
<b>STREET LIGHTS</b>	16-25
LED Integrated Street Light   Compact Street Light   Top Opening Street Light   Smart Street Light	
<b>FLOOD LIGHTS</b>	26-31
Architectural Flood Light   Flood Light	
<b>BUILDING &amp; COMMERCIAL LIGHTS</b>	32-45
Ultra Slim Edgelit Panel   Backlit Panel   Aluminium Slim Downlight   COB / PC Downlight	
<b>LAMPS &amp; BATTENS</b>	46-55
Retrofit Lamp & Bulb   LED Integrated Batten   Decorative T8 Retrofit Batten	
<b>LANDSCAPE LIGHTS</b>	56-65
Bollard   Post Top Lantern   Decorative Street Light	

# INDUSTRIAL LIGHTS







# INDUSTRIAL LIGHTS

Highbay Light

Well Glass


Bulk Head

Industrial Batten

Canopy Light

Tunnel Light

Clean Room Light



## CORVUS

- PDC aluminium housing with aim & adjustable bracket
- Matt finished reflector for glare elimination
- SMD LED with secondary lens
- Applications: Railway Concourse, Shopping Malls, Gymnasium, Steel Plants, Thermal Plants, Heavy Engineering Industries etc.

## CORAX

- PDC aluminium housing with aim & adjustable bracket
- Modular linear highbay
- SMD LED with secondary lens
- Applications: Railway Concourse, Shopping Malls, Gymnasium, Steel Plants, Thermal Plants, Heavy Engineering Industries etc.

## ORION

- PDC aluminium housing with aim & adjustable bracket
- Linear highbay
- SMD LED with secondary lens
- Applications: Warehouse, Railway Concourse, Gymnasium, Steel Plants, Thermal Plants, Heavy Engineering Industries etc.

## HIGHBAY: CORVUS SERIES

PRODUCT CODE	ORDERING CODE	DESCRIPTION	STD. PKG. (NOS.)	LP ₹ EACH
CORVUS/75W	LTEHB75WHPLED/LS	75W POWDER COATED PDC ALUMINIUM LED HIGHBAY WITH REFLECTOR	1	9900
CORVUS/90W	LTEHB90WHPLED/LS	90W POWDER COATED PDC ALUMINIUM LED HIGHBAY WITH REFLECTOR	1	12000
CORVUS/100W	LTEHB100WHPLED/LS	100W POWDER COATED PDC ALUMINIUM LED HIGHBAY WITH REFLECTOR	1	12600
CORVUS/120W	LTEHB120WHPLED/LS	120W POWDER COATED PDC ALUMINIUM LED HIGHBAY WITH REFLECTOR	1	13500
CORVUS/150W	LTEHB150WHPLED/LS	150W POWDER COATED PDC ALUMINIUM LED HIGHBAY WITH REFLECTOR	1	18000
CORVUS/200W	LTEHB200WHPLED/LS	200W POWDER COATED PDC ALUMINIUM LED HIGHBAY WITH REFLECTOR	1	24500

Integral industrial SMD LED with pressure die-cast aluminium housing, anodised aluminium reflector, complete with all accessories.

## LINEAR HIGHBAY : CORAX SERIES

PRODUCT CODE	ORDERING CODE	DESCRIPTION	STD. PKG. (NOS.)	LP ₹ EACH
CORAX/150W	LTLHB150WLED	150W POWDER COATED PDC ALUMINIUM LED LINEAR HIGHBAY	1	19000
CORAX/200W	LTLHB200WLED	200W POWDER COATED PDC ALUMINIUM LED LINEAR HIGHBAY	1	24000
CORAX/250W	LTLHB250WLED	250W POWDER COATED PDC ALUMINIUM LED LINEAR HIGHBAY	1	25000
CORAX/400W	LTLHB400WLED	400W POWDER COATED PDC ALUMINIUM LED LINEAR HIGHBAY	1	56000

SMD LED Linear highbay light with pressure die-cast aluminium housing, complete with all accessories.

## LINEAR HIGHBAY : ORION SERIES

PRODUCT CODE	ORDERING CODE	DESCRIPTION	STD. PKG. (NOS.)	LP ₹ EACH
ORION/80W	LTEF80WHPLED BAYLIGHT	80W POWDER COATED PDC ALUMINIUM BAYLIGHT	1	8500
ORION/100W	LTEF100WHPLED BAYLIGHT	100W POWDER COATED PDC ALUMINIUM BAYLIGHT	1	10500
ORION/120W	LTEF120WHPLED BAYLIGHT	120W POWDER COATED PDC ALUMINIUM BAYLIGHT	1	13000
ORION/150W	LTEF150WHPLED BAYLIGHT	150W POWDER COATED PDC ALUMINIUM BAYLIGHT	1	14500
ORION/160W	LTEF160WHPLED BAYLIGHT	160W POWDER COATED PDC ALUMINIUM BAYLIGHT	1	19000
ORION/180W	LTEF180WHPLED BAYLIGHT	180W POWDER COATED PDC ALUMINIUM BAYLIGHT	1	21000
ORION/200W	LTEF200WHPLED BAYLIGHT	200W POWDER COATED PDC ALUMINIUM BAYLIGHT	1	21999

SMD LED bay light with pressure die-cast aluminium housing, complete with all accessories.



## ARIES

- PDC aluminium housing with polycarbonate diffuser
- Dedicated mounting bracket with various adjustment
- Applications: Power plants, Cement plants, Steel plants  
Material handling system, Chemical & Textile Industries

## DORADO

- Sturdy vandal resistant polycarbonate housing with diffuser
- Mounting clips are provided for easy and quick installation
- SMD LED and heat sink integrated with housing
- Applications: Chemical & Textile industries, Industrial Sheds,  
Railway Concourse, Factories, Workshops, Supermarkets,  
Bakeries, Cold Storage etc.

## DORADO-P / DORADO-i

- Sturdy vandal resistant polycarbonate housing with diffuser
- Mounting clips are provided for easy and quick installation
- Retrofitted with LED tubelight
- Applications: Chemical & Textile industries, Industrial Sheds,  
Railway Concourse, Factories, Workshops, Supermarkets,  
Bakeries, Cold Storage etc.



## WELL GLASS: ARIES SERIES

PRODUCT CODE	ORDERING CODE	DESCRIPTION	STD. PKG. (NOS.)	LP ₹ EACH
ARIES/25W	LTIW25WLED	25W POWDER COATED PDC ALUMINIUM LED WELL GLASS	1	3200
ARIES/35W	LTIW35WLED	35W POWDER COATED PDC ALUMINIUM LED WELL GLASS	1	3800
ARIES/40W	LTIW40WLED	40W POWDER COATED PDC ALUMINIUM LED WELL GLASS	1	4500
ARIES/45W	LTIW45WLED	45W POWDER COATED PDC ALUMINIUM LED WELL GLASS	1	5000
ARIES/60W	LTIW60WLED	60W POWDER COATED PDC ALUMINIUM LED WELL GLASS	1	7000
ARIES/70W	LTIW70WLED	70W POWDER COATED PDC ALUMINIUM LED WELL GLASS	1	7500
ARIES/80W	LTIW80WLED	80W POWDER COATED PDC ALUMINIUM LED WELL GLASS	1	8500

High pressure die-cast aluminium LED well glass with polycarbonate diffuser.

## JET PROOF BATTEN: DORADO SERIES

PRODUCT CODE	ORDERING CODE	DESCRIPTION	STD. PKG. (NOS.)	LP ₹ EACH
DORADO/20W	LTIC20WLED/WD	20W PC HOUSING LED INDUSTRIAL JET PROOF BATTEN	4	3150
DORADO/40W	LTIC40WLED/WD	40W PC HOUSING LED INDUSTRIAL JET PROOF BATTEN	4	4150

SMD LED integrated jetproof polycarbonate housing & diffuser.

## JET PROOF BATTEN: DORADO-P / DORADO-i SERIES

PRODUCT CODE	ORDERING CODE	DESCRIPTION	STD. PKG. (NOS.)	LP ₹ EACH
DORADO - P/20W	LTIC01220WLED/WD	1X20W PC HOUSING LED INDUSTRIAL JET PROOF BATTEN WITH PC TUBE	4	2300
DORADO - P/40W	LTIC00920WLED/WD	2X20W PC HOUSING LED INDUSTRIAL JET PROOF BATTEN WITH PC TUBE	4	3300
DORADO -i/20W	LTIC01220WLED/WDI	1X20W PC HOUSING LED INDUSTRIAL JET PROOF BATTEN WITH GLASS TUBE	4	2100
DORADO -i/40W	LTIC00920WLED/WDI	2X20W PC HOUSING LED INDUSTRIAL JET PROOF BATTEN WITH GLASS TUBE	4	2850

SMD LED non-integrated jet proof polycarbonate housing & diffuser with PC / glass tube.



### CORVUS-E

- PDC aluminium housing with aim & adjustable bracket
- SMD LED array with integrated lens polycarbonate cover
- Applications: Railway Concourse, Shopping Malls, Gymnasium, Steel Plants, Thermal Plants, Heavy Engineering Industries etc.



### ARIES-E

- PDC aluminium housing with polycarbonate diffuser
- Dedicated mounting bracket with various adjustment
- Applications: Power plants, Cement plants, Steel plants Material handling system, Chemical & Textile Industries

## HIGHBAY: CORVUS-E SERIES

PRODUCT CODE	ORDERING CODE	DESCRIPTION	STD. PKG. (NOS.)	LP ₹ EACH
CORVUS-E/75W	LTEHB75WHPLED/LS/WOR	75W POWDER COATED PDC ALUMINIUM LED HIGHBAY	1	8900
CORVUS-E/90W	LTEHB90WHPLED/LS/WOR	90W POWDER COATED PDC ALUMINIUM LED HIGHBAY	1	11000
CORVUS-E/100W	LTEHB100WHPLED/LS/WOR	100W POWDER COATED PDC ALUMINIUM LED HIGHBAY	1	11500
CORVUS-E/120W	LTEHB120WHPLED/LS/WOR	120W POWDER COATED PDC ALUMINIUM LED HIGHBAY	1	12500
CORVUS-E/150W	LTEHB150WHPLED/LS/WOR	150W POWDER COATED PDC ALUMINIUM LED HIGHBAY	1	17000
CORVUS-E/180W	LTEHB180WHPLED/LS/WOR	180W POWDER COATED PDC ALUMINIUM LED HIGHBAY	1	20000
CORVUS-E/200W	LTEHB200WHPLED/LS/WOR	200W POWDER COATED PDC ALUMINIUM LED HIGHBAY	1	23000

Integral industrial SMD LED with pressure die-cast aluminium housing with integrated lens polycarbonate cover, complete with all accessories.

## WELL GLASS: ARIES-E SERIES

PRODUCT CODE	ORDERING CODE	DESCRIPTION	STD. PKG. (NOS.)	LP ₹ EACH
ARIES-E/25W	LTIWE25WLED	25W POWDER COATED PDC ALUMINIUM LED WELL GLASS	1	3050
ARIES-E/35W	LTIWE35WLED	35W POWDER COATED PDC ALUMINIUM LED WELL GLASS	1	3600
ARIES-E/40W	LTIWE40WLED	40W POWDER COATED PDC ALUMINIUM LED WELL GLASS	1	4350
ARIES-E/45W	LTIWE45WLED	45W POWDER COATED PDC ALUMINIUM LED WELL GLASS	1	4800

High pressure die-cast aluminium LED well glass with clear diffuser.

\*Milky diffuser available on request.

# INDUSTRIAL LIGHTS



## CRUX / CRUX-i

- CRCA MS Channel
- Retrofitted with LED tubelight
- Applications: Retail, Basements, Railway Waiting Rooms/ Platforms, Industries & Warehouses



## e-TARTA

- Engineering Plastic housing with clear prismatic diffuser
- SMD LED and heat sink integrated with housing
- Applications: Balconies, Corridors, Garages  
Cable Gantries, Staircases, Emergency Exits



## SIRIUS

- PDC aluminium housing with polycarbonate diffuser
- SMD LED and heat sink integrated with housing
- Applications: Balconies, Corridors, Garages  
Cable Gantries, Staircases, Emergency Exits



## INDUSTRIAL BATTEN: CRUX / CRUX-i SERIES

PRODUCT CODE	ORDERING CODE	DESCRIPTION	STD. PKG. (NOS.)	LP ₹ EACH
CRUX/1X20W	LTIC00120WLED/WD (LTIC1X161820WLED + LT4F20WLEDT8/WD)	1X20W WHITE POWDER COATED CRCA BOX TYPE LED INDUSTRIAL BATTEN WITH PC TUBE	10	1000
CRUX/2X20W	LTIC00220WLED/WD (LTIC2X161820WLED + LT4F20WLEDT8/WD)	2X20W WHITE POWDER COATED CRCA BOX TYPE LED INDUSTRIAL BATTEN WITH PC TUBE	10	1700
CRUX-i/1X20W	LTIC00120WLED/WDI (LTIC1X161820WLED + LT4F20WLEDT8/WDI)	1X20W WHITE POWDER COATED CRCA BOX TYPE LED INDUSTRIAL BATTEN WITH GLASS TUBE	10	800
CRUX-i/2X20W	LTIC00220WLED/WDI (LTIC2X161820WLED + LT4F20WLEDT8/WDI)	2X20W WHITE POWDER COATED CRCA BOX TYPE LED INDUSTRIAL BATTEN WITH GLASS TUBE	10	1500

LED indoor industrial CRCA MS box type luminaire complete with LED retrofit T8 polycarbonate / glass tube.

## BULK HEAD: e-TARTA SERIES

PRODUCT CODE	ORDERING CODE	DESCRIPTION	STD. PKG. (NOS.)	LP ₹ EACH
e-TARTA/6W	CG801B6WLED	6W IP65 LED BULK HEAD WITH PRISMATIC DIFFUSER.	4	850
e-TARTA/10W	CG801B10WLED	10W IP65 LED BULK HEAD WITH PRISMATIC DIFFUSER.	4	1260

LED bulk head in engineering plastic housing with clear prismatic diffuser.

\*Milky diffuser available on request.

## BULK HEAD: SIRIUS SERIES

PRODUCT CODE	ORDERING CODE	DESCRIPTION	STD. PKG. (NOS.)	LP ₹ EACH
SIRIUS/7W	LTB7WLED	7W PDC ALUMINIUM LED BULK HEAD	20	1200
SIRIUS/10W	LTB10WLED	10W PDC ALUMINIUM LED BULK HEAD	20	1550
SIRIUS/12W	LTB12WLED	12W PDC ALUMINIUM LED BULK HEAD	20	1650
SIRIUS/20W	LTB20WLED	20W PDC ALUMINIUM LED BULK HEAD	10	2400



LED Bulk Head with PDC aluminium housing and milky diffuser.

# INDUSTRIAL LIGHTS



## URSA

- PDC aluminium housing with toughened glass cover
- Mounting-eyebolt combined with adjustable cradle
- Applications: Petrol Pumps, Canopies, Gas Stations  
High ceiling lighting, Public halls



## ORION-T

- PDC aluminium housing with aim & adjustable bracket
- Modular linear tunnel light
- SMD LED with secondary lens
- Applications: Tunnels, Underpasses, Mines etc.



## CAELUM

- CRCA powder-coated housing with High Efficiency Translucence (HET) diffuser
- LED clean room bottom opening for hygienic facilities
- Suitable for class 10,000 cleanroom applications
- Applications: Pharmaceutical, Sterile Facilities, Healthcare Facilities, Hospitals, ICUs, Operation theaters & Medical labs

## CANOPY LIGHT: URSA SERIES

PRODUCT CODE	ORDERING CODE	DESCRIPTION	STD. PKG. (NOS.)	LP ₹ EACH
URSA/80W	LTEC80WHPLED	80W POWDER COATED PDC ALUMINIUM LED CANOPY LIGHT	1	9800
URSA/100W	LTEC100WHPLED	100W POWDER COATED PDC ALUMINIUM LED CANOPY LIGHT	1	13000

SMD LED canopy light with pressure die-cast aluminium housing, complete with all accessories.

## TUNNEL LIGHT : ORION-T SERIES

PRODUCT CODE	ORDERING CODE	DESCRIPTION	STD. PKG. (NOS.)	LP ₹ EACH
ORION-T/150W	LTET150WHPLED	150W POWDER COATED PDC ALUMINIUM LED TUNNEL LIGHT	1	POR
ORION-T/200W	LTET200WHPLED	200W POWDER COATED PDC ALUMINIUM LED TUNNEL LIGHT	1	POR
ORION-T/250W	LTET250WHPLED	250W POWDER COATED PDC ALUMINIUM LED TUNNEL LIGHT	1	POR


SMD LED tunnel light with pressure die-cast aluminium housing, complete with all accessories.

## RECESS MOUNTED CLEAN ROOM - CAELUM SERIES

PRODUCT CODE	ORDERING CODE	DESCRIPTION	STD. PKG. (NOS.)	LP ₹ EACH
CAELUM/36W/2X2/W	LTCRRB36WLED	36W 2'X2' POWDER COATED CRCA FULL GLOW LED CLEAN ROOM	2	7000
CAELUM/45W/2X2/W	LTCRRB45WLED	45W 2'X2' POWDER COATED CRCA FULL GLOW LED CLEAN ROOM	2	7500

Recess mounting powder coated white CRCA full glow LED Clean Room

# STREET LIGHTS







## **STREET LIGHTS**

LED Integrated Street Light

Compact Street Light

Top Opening Street Light

Smart Street Light



## INDUS

- PDC aluminium housing with sealed toughened glass cover
- SMD LED with secondary lens
- Applications: City Streets, Secondary Roads, Highways & Expressways, Junctions & Roundabouts, Industrial area, Parking lots & Yards Bridges, Public Parks, Ports & Airports

## STREET LIGHT: INDUS SERIES

PRODUCT CODE	ORDERING CODE	DESCRIPTION	STD. PKG. (NOS.)	LP ₹ EACH
INDUS/20W/LS	LTESS20WLED/LS	20W POWDER COATED PDC ALUMINIUM LED STREET LIGHT WITH LENS	1	2700
INDUS/25W/LS	LTESS25WLED/LS	25W POWDER COATED PDC ALUMINIUM LED STREET LIGHT WITH LENS	1	2900
INDUS/30W/LS	LTESS30WLED/LS	30W POWDER COATED PDC ALUMINIUM LED STREET LIGHT WITH LENS	1	3200
INDUS/36W/LS	LTESS36WLED/LS	36W POWDER COATED PDC ALUMINIUM LED STREET LIGHT WITH LENS	1	3900
INDUS/45W/LS	LTESS45WLED/LS	45W POWDER COATED PDC ALUMINIUM LED STREET LIGHT WITH LENS	1	4900
INDUS/60W/LS	LTESS60WLED/LS	60W POWDER COATED PDC ALUMINIUM LED STREET LIGHT WITH LENS	1	6100
INDUS/70W/LS	LTESS70WLED/LS	70W POWDER COATED PDC ALUMINIUM LED STREET LIGHT WITH LENS	1	6500
INDUS/90W/LS	LTESS90WLED/LS	90W POWDER COATED PDC ALUMINIUM LED STREET LIGHT WITH LENS	1	9200
INDUS/110W/LS	LTESS110WLED/LS	110W POWDER COATED PDC ALUMINIUM LED STREET LIGHT WITH LENS	1	10400
INDUS/120W/LS	LTESS120WLED/LS	120W POWDER COATED PDC ALUMINIUM LED STREET LIGHT WITH LENS	1	11900
INDUS/140W/LS	LTESS140WLED/LS	140W POWDER COATED PDC ALUMINIUM LED STREET LIGHT WITH LENS	1	14200
INDUS/150W/LS	LTESS150WLED/LS	150W POWDER COATED PDC ALUMINIUM LED STREET LIGHT WITH LENS	1	14999
INDUS/160W/LS	LTESS160WLED/LS	160W POWDER COATED PDC ALUMINIUM LED STREET LIGHT WITH LENS	1	15500
INDUS/180W/LS	LTESS180WLED/LS	180W POWDER COATED PDC ALUMINIUM LED STREET LIGHT WITH LENS	1	20500
INDUS/200W/LS	LTESS200WLED/LS	200W POWDER COATED PDC ALUMINIUM LED STREET LIGHT WITH LENS	1	22500
INDUS/220W/LS	LTESS220WLED/LS	220W POWDER COATED PDC ALUMINIUM LED STREET LIGHT WITH LENS	1	26000
INDUS/250W/LS	LTESS250WLED/LS	250W POWDER COATED PDC ALUMINIUM LED STREET LIGHT WITH LENS	1	28999

Powder coated pressure die cast aluminium SMD LED Street light with heat resistant toughened glass with lens.



## INDUS-E

- PDC aluminium housing with integrated lens polycarbonate cover
- SMD LED with integrated lens cover
- Applications: Secondary Roads, Service Roads, Periphery Lighting, Parking lots & Yards, Public Parks & Gated Communities



## STREET LIGHT: INDUS-E SERIES

PRODUCT CODE	ORDERING CODE	DESCRIPTION	STD. PKG. (NOS.)	LP ₹ EACH
INDUS-E/12W	LTESSE12WLED	12W POWDER COATED PDC ALUMINIUM LED STREET LIGHT WITH INTEGRATED LENS	1	1850
INDUS-E/15W	LTESSE15WLED	15W POWDER COATED PDC ALUMINIUM LED STREET LIGHT WITH INTEGRATED LENS	1	2100
INDUS-E/18W	LTESSE18WLED	18W POWDER COATED PDC ALUMINIUM LED STREET LIGHT WITH INTEGRATED LENS	1	2200
INDUS-E/20W	LTESSE20WLED	20W POWDER COATED PDC ALUMINIUM LED STREET LIGHT WITH INTEGRATED LENS	1	2300
INDUS-E/24W	LTESSE24WLED	24W POWDER COATED PDC ALUMINIUM LED STREET LIGHT WITH INTEGRATED LENS	1	2350
INDUS-E/25W	LTESSE25WLED	25W POWDER COATED PDC ALUMINIUM LED STREET LIGHT WITH INTEGRATED LENS	1	2400
INDUS-E/30W	LTESSE30WLED	30W POWDER COATED PDC ALUMINIUM LED STREET LIGHT WITH INTEGRATED LENS	1	2800
INDUS-E/36W	LTESSE36WLED	36W POWDER COATED PDC ALUMINIUM LED STREET LIGHT WITH INTEGRATED LENS	1	3300
INDUS-E/45W	LTESSE45WLED	45W POWDER COATED PDC ALUMINIUM LED STREET LIGHT WITH INTEGRATED LENS	1	4500
INDUS-E/60W	LTESSE60WLED	60W POWDER COATED PDC ALUMINIUM LED STREET LIGHT WITH INTEGRATED LENS	1	6000
INDUS-E/70W	LTESSE70WLED	70W POWDER COATED PDC ALUMINIUM LED STREET LIGHT WITH INTEGRATED LENS	1	6400
INDUS-E/80W	LTESSE80WLED	80W POWDER COATED PDC ALUMINIUM LED STREET LIGHT WITH INTEGRATED LENS	1	7500
INDUS-E/90W	LTESSE90WLED	90W POWDER COATED PDC ALUMINIUM LED STREET LIGHT WITH INTEGRATED LENS	1	8000
INDUS-E/120W	LTESSE120WLED	120W POWDER COATED PDC ALUMINIUM LED STREET LIGHT WITH INTEGRATED LENS	1	10000
INDUS-E/125W	LTESSE125WLED	125W POWDER COATED PDC ALUMINIUM LED STREET LIGHT WITH INTEGRATED LENS	1	11000
INDUS-E/130W	LTESSE130WLED	130W POWDER COATED PDC ALUMINIUM LED STREET LIGHT WITH INTEGRATED LENS	1	11500

Powder coated pressure die cast aluminium SMD LED Street light with integrated lens.

# STREET LIGHTS



## INDUS-i

- PDC aluminium housing with sealed toughened glass cover
- Applications: City Streets, Secondary Roads, Highways & Expressways, Junctions & Roundabouts, Industrial area, Parking lots & Yards Bridges, Public Parks, Ports & Airports



## LUMIFLO

- PDC aluminium housing with integrated lens polycarbonate cover
- SMD LED with integrated lens cover
- Applications: Secondary Roads, Service Roads, Periphery Lighting, Parking lots & Yards, Public Parks & Gated Communities

## STREET LIGHT: INDUS-i SERIES

PRODUCT CODE	ORDERING CODE	DESCRIPTION	STD. PKG. (NOS.)	LP ₹ EACH
INDUS-i/20W	LTESS120WLED	20W POWDER COATED PDC ALUMINIUM LED STREET LIGHT	1	2600
INDUS-i/25W	LTESS125WLED	25W POWDER COATED PDC ALUMINIUM LED STREET LIGHT	1	2800
INDUS-i/30W	LTESS130WLED	30W POWDER COATED PDC ALUMINIUM LED STREET LIGHT	1	2900
INDUS-i/36W	LTESS136WLED	36W POWDER COATED PDC ALUMINIUM LED STREET LIGHT	1	3700
INDUS-i/45W	LTESS145WLED	45W POWDER COATED PDC ALUMINIUM LED STREET LIGHT	1	4700
INDUS-i/50W	LTESS150WLED	50W POWDER COATED PDC ALUMINIUM LED STREET LIGHT	1	4900
INDUS-i/60W	LTESS160WLED	60W POWDER COATED PDC ALUMINIUM LED STREET LIGHT	1	5900
INDUS-i/65W	LTESS165WLED	65W POWDER COATED PDC ALUMINIUM LED STREET LIGHT	1	6200
INDUS-i/70W	LTESS170WLED	70W POWDER COATED PDC ALUMINIUM LED STREET LIGHT	1	6300
INDUS-i/90W	LTESS190WLED	90W POWDER COATED PDC ALUMINIUM LED STREET LIGHT	1	8900
INDUS-i/110W	LTESS1110WLED	110W POWDER COATED PDC ALUMINIUM LED STREET LIGHT	1	10200
INDUS-i/120W	LTESS1120WLED	120W POWDER COATED PDC ALUMINIUM LED STREET LIGHT	1	11600
INDUS-i/130W	LTESS1130WLED	130W POWDER COATED PDC ALUMINIUM LED STREET LIGHT	1	12500
INDUS-i/135W	LTESS1135WLED	135W POWDER COATED PDC ALUMINIUM LED STREET LIGHT	1	13000
INDUS-i/140W	LTESS1140WLED	140W POWDER COATED PDC ALUMINIUM LED STREET LIGHT	1	14000
INDUS-i/150W	LTESS1150WLED	150W POWDER COATED PDC ALUMINIUM LED STREET LIGHT	1	14799
INDUS-i/160W	LTESS1160WLED	160W POWDER COATED PDC ALUMINIUM LED STREET LIGHT	1	15300
INDUS-i/170W	LTESS1170WLED	170W POWDER COATED PDC ALUMINIUM LED STREET LIGHT	1	18000
INDUS-i/180W	LTESS1180WLED	180W POWDER COATED PDC ALUMINIUM LED STREET LIGHT	1	20200

Powder coated pressure die cast aluminium SMD LED Street light without lens with heat resistant toughened glass.

## STREET LIGHT: LUMIFLO SERIES

PRODUCT CODE	ORDERING CODE	DESCRIPTION	STD. PKG. (NOS.)	LP ₹ EACH
LUMIFLO/20W	LTESSR20WLED STREETLIGHT	20W LED POWDER COATED PDC ALUMINIUM STREET LIGHT	6	2500
LUMIFLO/30W	LTESSR30WLED STREETLIGHT	30W POWDER COATED PDC ALUMINIUM LED STREET LIGHT	6	3200
LUMIFLO/50W	LTESSR50WLED STREETLIGHT	50W POWDER COATED PDC ALUMINIUM LED STREET LIGHT	6	6000

Powder coated pressure die cast aluminium SMD LED Street light with integrated lens.



## INDUS-T


- PDC aluminium housing top maintainable with sealed toughened glass cover
- SMD LED with secondary lens
- Applications: City Streets, Secondary Roads, Highways & Expressways, Junctions & Roundabouts, Industrial area, Parking lots & Yards Bridges, Public Parks, Ports & Airports



## INDUS-S

- PDC aluminium housing top maintainable with sealed toughened glass cover
- SMD LED with secondary lens
- Inbuilt dimmible driver
- Applications: City Streets, Secondary Roads, Highways & Expressways

Antenna image is for representative purpose only



## STREET LIGHT: INDUS-T SERIES

PRODUCT CODE	ORDERING CODE	DESCRIPTION	STD. PKG. (NOS.)	LP ₹ EACH
INDUS-T/30W/LS	LTESST30WLED/LS	30W POWDER COATED PDC ALUMINIUM TOP OPENING LED STREET LIGHT WITH LENS	1	3350
INDUS-T/36W/LS	LTESST36WLED/LS	36W POWDER COATED PDC ALUMINIUM TOP OPENING LED STREET LIGHT WITH LENS	1	4100
INDUS-T/45W/LS	LTESST45WLED/LS	45W POWDER COATED PDC ALUMINIUM TOP OPENING LED STREET LIGHT WITH LENS	1	5200
INDUS-T/60W/LS	LTESST60WLED/LS	60W POWDER COATED PDC ALUMINIUM TOP OPENING LED STREET LIGHT WITH LENS	1	6300
INDUS-T/70W/LS	LTESST70WLED/LS	70W POWDER COATED PDC ALUMINIUM TOP OPENING LED STREET LIGHT WITH LENS	1	6700
INDUS-T/90W/LS	LTESST90WLED/LS	90W POWDER COATED PDC ALUMINIUM TOP OPENING LED STREET LIGHT WITH LENS	1	9400
INDUS-T/110W/LS	LTESST110WLED/LS	110W POWDER COATED PDC ALUMINIUM TOP OPENING LED STREET LIGHT WITH LENS	1	10600
INDUS-T/120W/LS	LTESST120WLED/LS	120W POWDER COATED PDC ALUMINIUM TOP OPENING LED STREET LIGHT WITH LENS	1	12100
INDUS-T/140W/LS	LTESST140WLED/LS	140W POWDER COATED PDC ALUMINIUM TOP OPENING LED STREET LIGHT WITH LENS	1	14400
INDUS-T/150W/LS	LTESST150WLED/LS	150W POWDER COATED PDC ALUMINIUM TOP OPENING LED STREET LIGHT WITH LENS	1	15300
INDUS-T/160W/LS	LTESST160WLED/LS	160W POWDER COATED PDC ALUMINIUM TOP OPENING LED STREET LIGHT WITH LENS	1	15700
INDUS-T/180W/LS	LTESST180WLED/LS	180W POWDER COATED PDC ALUMINIUM TOP OPENING LED STREET LIGHT WITH LENS	1	20800
INDUS-T/200W/LS	LTESST200WLED/LS	200W POWDER COATED PDC ALUMINIUM TOP OPENING LED STREET LIGHT WITH LENS	1	22800

Powder coated pressure die cast aluminium SMD top opening LED street light with heat resistance toughened glass and lens

## STREET LIGHT: INDUS-S SERIES

PRODUCT CODE	ORDERING CODE	DESCRIPTION	STD. PKG. (NOS.)	LP ₹ EACH
INDUS-S/75W/LS	LTESSS75WHPLED/LS	75W POWDER COATED PDC ALUMINIUM DIMMABLE LED STREET LIGHT WITH LENS	1	POR
INDUS-S/100W/LS	LTESSS100WHPLED/LS	100W POWDER COATED PDC ALUMINIUM DIMMABLE LED STREET LIGHT WITH LENS	1	POR
INDUS-S/120W/LS	LTESSS120WHPLED/LS	120W POWDER COATED PDC ALUMINIUM DIMMABLE LED STREET LIGHT WITH LENS	1	POR
INDUS-S/150W/LS	LTESSS150WHPLED/LS	150W POWDER COATED PDC ALUMINIUM DIMMABLE LED STREET LIGHT WITH LENS	1	POR
INDUS-S/200W/LS	LTESSS200WHPLED/LS	200W POWDER COATED PDC ALUMINIUM DIMMABLE LED STREET LIGHT WITH LENS	1	POR
INDUS-S/240W/LS	LTESSS240WHPLED/LS	240W POWDER COATED PDC ALUMINIUM DIMMABLE LED STREET LIGHT WITH LENS	1	POR

Powder coated pressure die cast aluminium SMD LED Street light with heat resistant toughened glass with lens and dimming driver (1V-10V DC input control voltage for 10% to 100% dimming).



# FLOOD LIGHTS





# FLOOD LIGHTS

Highmast Flood Light

Flood Light



## ORION-1.0

- PDC aluminium housing with sealed toughened glass cover
- SMD LED with secondary lens
- Applications: Security Lighting, Highmast Lighting, Tower Lighting, Industrial Areas, Parking lots, Sports facility, Architectural Facade Signboards & Storage Yards

## ORION-3.0

- PDC aluminium housing with sealed toughened glass cover
- SMD LED with secondary lens
- Applications: Security Lighting, Highmast Lighting, Tower Lighting, Industrial Areas, Parking lots, Sports facility, Architectural Facade Signboards & Storage Yards

## FLOOD LIGHT: ORION 1.0 SERIES

PRODUCT CODE	ORDERING CODE	DESCRIPTION	STD. PKG. (NOS.)	LP ₹ EACH
ORION-1.0/30W	LTEFI30WHPLED	30W POWDER COATED PDC ALUMINIUM LED FLOOD LIGHT	1	3400
ORION-1.0/50W	LTEFI50WHPLED	50W POWDER COATED PDC ALUMINIUM LED FLOOD LIGHT	1	7500
ORION-1.0/75W	LTEFI75WHPLED	75W POWDER COATED PDC ALUMINIUM LED FLOOD LIGHT	1	10000
ORION-1.0/150W	LTEFI150WHPLED	150W POWDER COATED PDC ALUMINIUM LED FLOOD LIGHT	1	17500
ORION-1.0/250W	LTEFI250WHPLED	250W POWDER COATED PDC ALUMINIUM LED FLOOD LIGHT	1	25300
ORION-1.0/300W	LTEFI300WHPLED	300W POWDER COATED PDC ALUMINIUM LED FLOOD LIGHT	1	32300
ORION-1.0/350W	LTEFI350WHPLED	350W POWDER COATED PDC ALUMINIUM LED FLOOD LIGHT	1	38000

SMD LED floodlight with pressure die-cast aluminium housing, complete with all accessories.

## FLOOD LIGHT: ORION 3.0 SERIES

PRODUCT CODE	ORDERING CODE	DESCRIPTION	STD. PKG. (NOS.)	LP ₹ EACH
ORION-3.0/50W	LTEF50WHPLED	50W POWDER COATED PDC ALUMINIUM LED FLOOD LIGHT	1	5500
ORION-3.0/60W	LTEF60WHPLED	60W POWDER COATED PDC ALUMINIUM LED FLOOD LIGHT	1	6000
ORION-3.0/70W	LTEF70WHPLED	70W POWDER COATED PDC ALUMINIUM LED FLOOD LIGHT	1	7500
ORION-3.0/80W	LTEF80WHPLED	80W POWDER COATED PDC ALUMINIUM LED FLOOD LIGHT	1	8500
ORION-3.0/90W	LTEF90WHPLED	90W POWDER COATED PDC ALUMINIUM LED FLOOD LIGHT	1	9500
ORION-3.0/100W	LTEF100WHPLED	100W POWDER COATED PDC ALUMINIUM LED FLOOD LIGHT	1	10500
ORION-3.0/110W	LTEF110WHPLED	110W POWDER COATED PDC ALUMINIUM LED FLOOD LIGHT	1	12500
ORION-3.0/120W	LTEF120WHPLED	120W POWDER COATED PDC ALUMINIUM LED FLOOD LIGHT	1	13000
ORION-3.0/135W	LTEF135WHPLED	135W POWDER COATED PDC ALUMINIUM LED FLOOD LIGHT	1	13500
ORION-3.0/140W	LTEF140WHPLED	140W POWDER COATED PDC ALUMINIUM LED FLOOD LIGHT	1	14000
ORION-3.0/150W	LTEF150WHPLED	150W POWDER COATED PDC ALUMINIUM LED FLOOD LIGHT	1	14500
ORION-3.0/160W	LTEF160WHPLED	160W POWDER COATED PDC ALUMINIUM LED FLOOD LIGHT	1	19000
ORION-3.0/180W	LTEF180WHPLED	180W POWDER COATED PDC ALUMINIUM LED FLOOD LIGHT	1	21000
ORION-3.0/200W	LTEF200WHPLED	200W POWDER COATED PDC ALUMINIUM LED FLOOD LIGHT	1	21999
ORION-3.0/240W	LTEF240WHPLED	240W POWDER COATED PDC ALUMINIUM LED FLOOD LIGHT	1	23500

SMD LED floodlight with pressure die-cast aluminium housing, complete with all accessories.





## ORION-H

- PDC aluminium housing with aim & adjustable bracket
- Modular linear flood light
- SMD LED with secondary lens
- Applications: Highmast Lighting, Tower Lighting, Industrial Areas, Parking lots, Sports facility, Architectural Facade Signboards & Storage Yards



## GLOFLO

- PDC aluminium housing with aim & adjustable bracket
- Applications: Security Lighting, Minimast Lighting, Parking Lots, Signboards & Storage Yards etc.



## FLOOD LIGHT: ORION-H SERIES

PRODUCT CODE	ORDERING CODE	DESCRIPTION	STD. PKG. (NOS.)	LP ₹ EACH
ORION-H/200W	LTEFH200WHPLED	200W POWDER COATED PDC ALUMINIUM LED FLOOD LIGHT	1	23500
ORION-H/250W	LTEFH250WHPLED	250W POWDER COATED PDC ALUMINIUM LED FLOOD LIGHT	1	24500
ORION-H/400W	LTEFH400WHPLED	400W POWDER COATED PDC ALUMINIUM LED FLOOD LIGHT	1	55000
ORION-H/500W	LTEFH500WHPLED	500W POWDER COATED PDC ALUMINIUM LED FLOOD LIGHT	1	POR
ORION-H/600W	LTEFH600WHPLED	600W POWDER COATED PDC ALUMINIUM LED FLOOD LIGHT	1	POR
ORION-H/750W	LTEFH750WHPLED	750W POWDER COATED PDC ALUMINIUM LED FLOOD LIGHT	1	POR
ORION-H/800W	LTEFH800WHPLED	800W POWDER COATED PDC ALUMINIUM LED FLOOD LIGHT	1	POR
ORION-H/1000W	LTEFH1000WHPLED	1000W POWDER COATED PDC ALUMINIUM LED FLOOD LIGHT	1	POR



SMD LED floodlight with pressure die-cast aluminium housing, complete with all accessories.

## FLOOD LIGHT: GLOFLO SERIES

PRODUCT CODE	ORDERING CODE	DESCRIPTION	STD. PKG. (NOS.)	LP ₹ EACH
GLOFLO/10W	LTEFR10WHPLED FLOODLIGHT	10W POWDER COATED PDC ALUMINIUM LED FLOOD LIGHT	1	1200
GLOFLO/20W	LTEFR20WHPLED FLOODLIGHT	20W POWDER COATED PDC ALUMINIUM LED FLOOD LIGHT	1	1900
GLOFLO/30W	LTEFR30WHPLED FLOODLIGHT	30W POWDER COATED PDC ALUMINIUM LED FLOOD LIGHT	1	2600
GLOFLO/50W	LTEFR50WHPLED FLOODLIGHT	50W POWDER COATED PDC ALUMINIUM LED FLOOD LIGHT	1	3800
GLOFLO/100W	LTEFR100WHPLED FLOODLIGHT	100W POWDER COATED PDC ALUMINIUM LED FLOOD LIGHT	1	8000

SMD LED floodlight with pressure die-cast aluminium housing, complete with all accessories.

# BUILDING & COMMERCIAL LIGHTS





## **BUILDING & COMMERCIAL LIGHTS**

Ultra Slim Edgelit Panel

Backlit Panel

Aluminium Slim Downlight

COB / PC Downlight



## CYGNUS-C

- CRCA powder coating housing with anti-glare diffuser
- New deep back lit type recess mounting LED Luminaire
- Applications: Corporate Offices, Modern Workspaces, Banks, Conference, Software Centres & Hospitals

## BACKLIT PANEL: CYGNUS-C SERIES

PRODUCT CODE	ORDERING CODE	DESCRIPTION	STD. PKG (NOS.)	LP ₹ EACH
CYGNUS-C/18W/1X1/W	LTCRP18WLED1X1	18W 1'X1' WHITE POWDER COATED CRCA FULL GLOW RECESS MOUNTING LED BACKLIT PANEL	2	2200
CYGNUS-C/24W/1X1/W	LTCRP24WLED1X1	24W 1'X1' WHITE POWDER COATED CRCA FULL GLOW RECESS MOUNTING LED BACKLIT PANEL	2	2300
CYGNUS-C/28W/1X2/W	LTCRP28WLED1X2	28W 1'X2' WHITE POWDER COATED CRCA FULL GLOW RECESS MOUNTING LED BACKLIT PANEL	2	3000
CYGNUS-C/30W/2X2/W	LTCRP30WLED2X2	30W 2'X2' WHITE POWDER COATED CRCA FULL GLOW RECESS MOUNTING LED BACKLIT PANEL	2	3500
CYGNUS-C/36W/1X4/W	LTCRP36WLED1X4	36W 1'X4' WHITE POWDER COATED CRCA FULL GLOW RECESS MOUNTING LED BACKLIT PANEL	2	4500
CYGNUS-C/36W/2X2/W	LTCRP36WLED2X2	36W 2'X2' WHITE POWDER COATED CRCA FULL GLOW RECESS MOUNTING LED BACKLIT PANEL	2	4100
CYGNUS-C/45W/2X2/W	LTCRP45WLED2X2	45W 2'X2' WHITE POWDER COATED CRCA FULL GLOW RECESS MOUNTING LED BACKLIT PANEL	2	4900

Recess mounting powder coated white CRCA full glow backlit LED panel.






## CYGNUS-CS

- CRCA powder coating housing with anti-glare diffuser
- New deep back lit type surface mounting LED Luminaire
- Applications: Corporate Offices, Modern Workspaces, Healthcare & Education, Conference etc.

## SURFACE MOUNTED BACKLIT PANEL: CYGNUS-CS SERIES

PRODUCT CODE	ORDERING CODE	DESCRIPTION	STD. PKG (NOS.)	LP ₹ EACH
CYGNUS-CS/18W/1X1/W	LTCSP18WLED1X1	18W 1'X1' WHITE POWDER COATED CRCA FULL GLOW SURFACE MOUNTING LED BACKLIT PANEL	2	2300
CYGNUS-CS/24W/1X1/W	LTCSP24WLED1X1	24W 1'X1' WHITE POWDER COATED CRCA FULL GLOW SURFACE MOUNTING LED BACKLIT PANEL	2	2400
CYGNUS-CS/28W/1X2/W	LTCSP28WLED1X2	28W 1'X2' WHITE POWDER COATED CRCA FULL GLOW SURFACE MOUNTING LED BACKLIT PANEL	2	3100
CYGNUS-CS/30W/2X2/W	LTCSP30WLED2X2	30W 2'X2' WHITE POWDER COATED CRCA FULL GLOW SURFACE MOUNTING LED BACKLIT PANEL	2	3600
CYGNUS-CS/36W/1X4/W	LTCSP36WLED1X4	36W 1'X4' WHITE POWDER COATED CRCA FULL GLOW SURFACE MOUNTING LED BACKLIT PANEL	2	4600
CYGNUS-CS/36W/2X2/W	LTCSP36WLED2X2	36W 2'X2' WHITE POWDER COATED CRCA FULL GLOW SURFACE MOUNTING LED BACKLIT PANEL	2	4200
CYGNUS-CS/45W/2X2/W	LTCSP45WLED2X2	45W 2'X2' WHITE POWDER COATED CRCA FULL GLOW SURFACE MOUNTING LED BACKLIT PANEL	2	5000

Surface mounting powder coated white CRCA full glow backlit LED panel.



## CYGNUS

- Extruded aluminium housing with anti-glare diffuser
- Ultra slim edge lit type recess mounting LED Luminaire
- Applications: Corporate Offices, Modern Workspaces, Banks, Conference, Software Centres & Hospitals.

## ULTRA SLIM PANEL: CYGNUS SERIES

PRODUCT CODE	ORDERING CODE	DESCRIPTION	STD. PKG [NOS.]	LP ₹ EACH
CYGNUS/18W/1X1W	LTCRSLM18WATT1X1	18W 1'X1' EXTRUDED ALUMINIUM HOUSING WITH MILKY DIFFUSER RECESS MOUNTING ULTRA SLIM LED PANEL	2	2200
CYGNUS/24W/1X2W	LTCRSLM24WATT1X2	24 W 1'X2' EXTRUDED ALUMINIUM HOUSING WITH MILKY DIFFUSER RECESS MOUNTING ULTRA SLIM LED PANEL	2	3000
CYGNUS/28W/1X2W	LTCRSLM28WATT1X2	28 W 1'X2' EXTRUDED ALUMINIUM HOUSING WITH MILKY DIFFUSER RECESS MOUNTING ULTRA SLIM LED PANEL	2	3200
CYGNUS/36W/2X2W	LTCRSLM36WATT2X2	36W 2'X2' EXTRUDED ALUMINIUM HOUSING WITH MILKY DIFFUSER RECESS MOUNTING ULTRA SLIM LED PANEL	2	3800
CYGNUS/45W/2X2W	LTCRSLM45WATT2X2	45W 2'X2' EXTRUDED ALUMINIUM HOUSING WITH MILKY DIFFUSER RECESS MOUNTING ULTRA SLIM LED PANEL	2	4600

Recess mounting LED Edgelit ultra slim ceiling light with extruded aluminium housing and milky diffuser.



## CARINA

- Die cast aluminium housing with frosted diffuser
- Slim type Round/Square recess mounting LED Luminaire.
- Applications: Corporate Offices, Corridors, Gym/Spa, Showrooms, Restaurants & Hotels



## CORONA

- Die cast aluminium housing with frosted diffuser
- Slim type Round/Square surface mounting LED Luminaire
- Applications: Offices, Corridors, Staircase, Showrooms, Auditorium & Hospitals





## RECESS DOWNLIGHT: CARINA SERIES

PRODUCT CODE	ORDERING CODE	DESCRIPTION	STD. PKG (NOS.)	LP ₹ EACH
CARINA-RND/6W/W	LTCRSLM6HPLEDRND/W	6W PDC AL ROUND SLIM DOWN LIGHT	10	500
CARINA-RND/9W/W	LTCRSLM9HPLEDRND/W	9W PDC AL ROUND SLIM DOWN LIGHT	10	670
CARINA-RND/12W/W	LTCRSLM12HPLEDRND/W	12W PDC AL ROUND SLIM DOWN LIGHT	10	760
CARINA-RND/15W/W	LTCRSLM15HPLEDRND/W	15W PDC AL ROUND SLIM DOWN LIGHT	10	850
CARINA-RND/18W/W	LTCRSLM18HPLEDRND/W	18W PDC AL ROUND SLIM DOWN LIGHT	10	950
CARINA-SQ/6W/W	LTCRSLM6HPLEDSQ/W	6W PDC AL SQUARE SLIM DOWN LIGHT	10	500
CARINA-SQ/9W/W	LTCRSLM9HPLEDSQ/W	9W PDC AL SQUARE SLIM DOWN LIGHT	10	670
CARINA-SQ/12W/W	LTCRSLM12HPLEDSQ/W	12W PDC AL SQUARE SLIM DOWN LIGHT	10	760
CARINA-SQ15W/W	LTCRSLM15HPLEDSQ/W	15W PDC AL SQUARE SLIM DOWN LIGHT	10	850
CARINA-SQ/18W/W	LTCRSLM18HPLEDSQ/W	18W PDC AL SQUARE SLIM DOWN LIGHT	10	950

LED Recess Mounting PDC Aluminium Housing Downlights. Warm white & Neutral white available on request.

## SURFACE MOUNTED DOWNLIGHT: CORONA SERIES

PRODUCT CODE	ORDERING CODE	DESCRIPTION	STD. PKG (NOS.)	LP ₹ EACH
CORONA-RND/6W/W	LTCRSUR6HPLEDRND/W	6W PDC AL SURFACE MOUNTING ROUND SLIM DOWN LIGHT WHITE	18	650
CORONA-RND/9W/W	LTCRSUR9HPLEDRND/W	9W PDC AL SURFACE MOUNTING ROUND SLIM DOWN LIGHT WHITE	18	850
CORONA-RND/12W/W	LTCRSUR12HPLEDRND/W	12W PDC AL SURFACE MOUNTING ROUND SLIM DOWN LIGHT WHITE	18	1050
CORONA-RND/15W/W	LTCRSUR15HPLEDRND/W	15W PDC AL SURFACE MOUNTING ROUND SLIM DOWN LIGHT WHITE	18	1250
CORONA-RND/18W/W	LTCRSUR18HPLEDRND/W	18W PDC AL SURFACE MOUNTING ROUND SLIM DOWN LIGHT WHITE	18	1450
CORONA-SQ/6W/W	LTCRSUR6HPLEDSQ/W	6W PDC AL SURFACE MOUNTING SQUARE SLIM DOWN LIGHT WHITE	16	650
CORONA-SQ/9W/W	LTCRSUR9HPLEDSQ/W	9W PDC AL SURFACE MOUNTING SQUARE SLIM DOWN LIGHT WHITE	16	850
CORONA-SQ/12W/W	LTCRSUR12HPLEDSQ/W	12W PDC AL SURFACE MOUNTING SQUARE SLIM DOWN LIGHT WHITE	16	1050
CORONA-SQ/15W/W	LTCRSUR15HPLEDSQ/W	15W PDC AL SURFACE MOUNTING SQUARE SLIM DOWN LIGHT WHITE	16	1250
CORONA-SQ/18W/W	LTCRSUR18HPLEDSQ/W	18W PDC AL SURFACE MOUNTING SQUARE SLIM DOWN LIGHT WHITE	16	1450

LED Surface mounting PC Aluminium Housing Downlights. Warm white & Neutral white available on request.

## BUILDING & COMMERCIAL LIGHTS



### CANOPUS

- PC housing with frosted PC diffuser
- Slim type Round/Square recess mounting LED Luminaire
- Applications: Residences, Corporate Offices, Retail Stores, Museums, Restaurants & Hotels



### CANOPUS-CS

- PC housing with frosted PC diffuser
- Slim type Round/Square surface mounting LED Luminaire
- Applications: Residences, Corporate Offices, Retail Stores, Museums, Staircase & Airport Lounges

## RECESS DOWNLIGHT: CANOPUS SERIES

PRODUCT CODE	ORDERING CODE	DESCRIPTION	STD. PKG (NOS.)	LP ₹ EACH
CANOPUS-RND/6W/W	LTCRSLM6WLEDRNDW DOWNLIGHT	6W PLASTIC ROUND SLIM DOWN LIGHT	10	350
CANOPUS-RND/9W/W	LTCRSLM9WLEDRNDW DOWNLIGHT	9W PLASTIC ROUND SLIM DOWN LIGHT	10	400
CANOPUS-RND/12W/W	LTCRSLM12WLEDRNDW DOWNLIGHT	12W PLASTIC ROUND SLIM DOWN LIGHT	10	650
CANOPUS-RND/15W/W	LTCRSLM15WLEDRNDW DOWNLIGHT	15W PLASTIC ROUND SLIM DOWN LIGHT	10	750
CANOPUS-RND/18W/W	LTCRSLM18WLEDRNDW DOWNLIGHT	18W PLASTIC ROUND SLIM DOWN LIGHT	10	900
CANOPUS-RND/22W/W	LTCRSLM22WLEDRNDW DOWNLIGHT	22W PLASTIC ROUND SLIM DOWN LIGHT	10	1100
CANOPUS-SQ/6W/W	LTCRSLM6WLEDSQW DOWNLIGHT	6W PLASTIC SQUARE SLIM DOWN LIGHT	10	350
CANOPUS-SQ/9W/W	LTCRSLM9WLEDSQW DOWNLIGHT	9W PLASTIC SQUARE SLIM DOWN LIGHT	10	400
CANOPUS-SQ/12W/W	LTCRSLM12WLEDSQW DOWNLIGHT	12W PLASTIC SQUARE SLIM DOWN LIGHT	10	650
CANOPUS-SQ/15W/W	LTCRSLM15WLEDSQW DOWNLIGHT	15W PLASTIC SQUARE SLIM DOWN LIGHT	10	750
CANOPUS-SQ/18W/W	LTCRSLM18WLEDSQW DOWNLIGHT	18W PLASTIC SQUARE SLIM DOWN LIGHT	10	900
CANOPUS-SQ/22W/W	LTCRSLM22WLEDSQW DOWNLIGHT	22W PLASTIC SQUARE SLIM DOWN LIGHT	10	1100

LED Recess mounting PC housing downlights. Warm white available on request

## SURFACE DOWNLIGHT: CANOPUS-CS-SERIES

PRODUCT CODE	ORDERING CODE	DESCRIPTION	STD. PKG (NOS.)	LP ₹ EACH
CANOPUS-CS- RND/6W/W	LTCRSUR6LEDRND/W	6W LED INTEGRATED PLASTIC SURFACE MOUNTING ROUND SLIM DOWN LIGHT WHITE	10	450
CANOPUS-CS- RND/9W/W	LTCRSUR9LEDRND/W	9W LED INTEGRATED PLASTIC SURFACE MOUNTING ROUND SLIM DOWN LIGHT WHITE	10	500
CANOPUS-CS- RND/12W/W	LTCRSUR12LEDRND/W	12W LED INTEGRATED PLASTIC SURFACE MOUNTING ROUND SLIM DOWN LIGHT WHITE	10	750
CANOPUS-CS- RND/15W/W	LTCRSUR15LEDRND/W	15W LED INTEGRATED PLASTIC SURFACE MOUNTING ROUND SLIM DOWN LIGHT WHITE	10	850
CANOPUS-CS- RND/18W/W	LTCRSUR18LEDRND/W	18W LED INTEGRATED PLASTIC SURFACE MOUNTING ROUND SLIM DOWN LIGHT WHITE	10	1100
CANOPUS-CS- RND/22W/W	LTCRSUR22LEDRND/W	22W LED INTEGRATED PLASTIC SURFACE MOUNTING ROUND SLIM DOWN LIGHT WHITE	10	1200
CANOPUS-CS- SQ/6W/W	LTCRSUR6LEDSQ/W	6W LED INTEGRATED PLASTIC SURFACE MOUNTING SQUARE SLIM DOWN LIGHT WHITE	10	450
CANOPUS-CS- SQ/9W/W	LTCRSUR9LEDSQ/W	9W LED INTEGRATED PLASTIC SURFACE MOUNTING SQUARE SLIM DOWN LIGHT WHITE	10	500
CANOPUS-CS- SQ/12W/W	LTCRSUR12LEDSQ/W	12W LED INTEGRATED PLASTIC SURFACE MOUNTING SQUARE SLIM DOWN LIGHT WHITE	10	750
CANOPUS-CS- SQ/15W/W	LTCRSUR15LEDSQ/W	15W LED INTEGRATED PLASTIC SURFACE MOUNTING SQUARE SLIM DOWN LIGHT WHITE	10	850
CANOPUS-CS- SQ/18W/W	LTCRSUR18LEDSQ/W	18W LED INTEGRATED PLASTIC SURFACE MOUNTING SQUARE SLIM DOWN LIGHT WHITE	10	1000
CANOPUS-CS- SQ/22W/W	LTCRSUR22LEDSQ/W	22W LED INTEGRATED PLASTIC SURFACE MOUNTING SQUARE SLIM DOWN LIGHT WHITE	10	1200

LED Surface Mounting PC housing downlights. Warm white available on request



## LYRA

- Die cast aluminium housing with high purity anodized glossy aluminium reflector
- Round recess mounting COB LED Luminaire
- Applications: Retails, Corridors, Gym/Spa, Showrooms, Restaurants & Hotels



## DHURVI

- PC housing with frosted PMMA/PC diffuser
- Concealed type round recess mounting LED Luminaire
- Applications: Residences, Showrooms, Retail Stores, Museums, Restaurants & Hotels.



## EYEBALL DOWNLIGHT: LYRA SERIES

PRODUCT CODE	ORDERING CODE	DESCRIPTION	STD. PKG (NOS.)	LP ₹ EACH
LYRA-RND/3W/W	LTCR3CBLEDRNDW DOWNLIGHT	3W COB EYEBALL DOWN LIGHT	20	700
LYRA-RND/6W/W	LTCR6CBLEDRNDW DOWNLIGHT	6W COB EYEBALL DOWN LIGHT	20	900
LYRA-RND/12W/W	LTCR12CBLEDRNDW DOWNLIGHT	12W COB EYEBALL DOWN LIGHT	20	1400
LYRA-RND/15W/W	LTCR15CBLEDRNDW DOWNLIGHT	15W COB EYEBALL DOWN LIGHT	20	1550
LYRA-RND/18W/W	LTCR18CBLEDRNDW DOWNLIGHT	18W COB EYEBALL DOWN LIGHT	20	1800
LED COB PDC aluminium housing eyeball downlights. Warm white available on request				

## COMPACT DOWNLIGHT: DHRUVI SERIES

PRODUCT CODE	ORDERING CODE	DESCRIPTION	STD. PKG (NOS.)	LP ₹ EACH
DHRUVI/3W	LTCR3HPLEDRNDW DOWNLIGHT	3W COMPACT LED ROUND DOWNLIGHT WHITE	40	250
DHRUVI/6W	LTCR6HPLEDRNDW DOWNLIGHT	6W COMPACT LED ROUND DOWNLIGHT WHITE	40	350
LED round recess polycarbonate housing downlight with integrated driver suitable for concealed boxes. Warm white available on request				

# LAMPS & BATTENS







# LAMPS & BATTENS

Retrofit Lamps & Bulb

LED Integrated Batten

Decorative T8 Retrofit Batten



## NAKSHATRA

- Extruded aluminium housing with frosted PMMA/PC diffuser
- Elegant and sleek designed LED T5 Batten
- Applications: Residences, Corridors, Libraries, Meeting Room, Educational Facilities & Reception area.



## NAKSHATRA-E

- PC housing with frosted PMMA/PC diffuser
- Elegant and sleek designed LED T5 Batten
- Applications: Residences, Corridors, Libraries, Meeting Room, Educational Facilities & Reception area

## T5 INTEGRATED BATTEN: NAKSHATRA SERIES

PRODUCT CODE	ORDERING CODE	DESCRIPTION	STD. PKG. (NOS.)	LP ₹ EACH
NAKSHATRA/5W	LTTB1F5WLED/W	5W T5 ALUMINIUM EXTRUDED LED INTEGRATED BATTEN	20	405
NAKSHATRA/10W	LTTB2F10WLED/W	10W T5 ALUMINIUM EXTRUDED LED INTEGRATED BATTEN	20	475
NAKSHATRA/16W	LTTB4F16WLED/W	16W T5 ALUMINIUM EXTRUDED LED INTEGRATED BATTEN	20	550
NAKSHATRA/20W	LTTB4F20WLED/W	20W T5 ALUMINIUM EXTRUDED LED INTEGRATED BATTEN	20	580
NAKSHATRA/40W	LTTB4F40WLED/W	40W T5 ALUMINIUM EXTRUDED LED INTEGRATED BATTEN	20	1100

Indoor decorative aluminium extruded T5 LED Battens - Integrated type.

## T5 INTEGRATED BATTEN: NAKSHATRA-E SERIES

PRODUCT CODE	ORDERING CODE	DESCRIPTION	STD. PKG. (NOS.)	LP ₹ EACH
NAKSHATRA-E/5W/W	LTTB1F5WLEDEW BATTEN	5W T5 PC HOUSING LED INTEGRATED BATTEN	20	305
NAKSHATRA-E/10W/W	LTTB2F10WLEDEW BATTEN	10W T5 PC HOUSING LED INTEGRATED BATTEN	20	375
NAKSHATRA-E/16W/W	LTTB4F16WLEDEW BATTEN	16W T5 PC HOUSING LED INTEGRATED BATTEN	20	430
NAKSHATRA-E/20W/W	LTTB4F20WLEDEW BATTEN	20W T5 PC HOUSING LED INTEGRATED BATTEN	20	460

Indoor decorative PC housing extruded T5 LED Battens - Integrated type.

# LED BATTENS



## TARA-M/TARA-Mi

- MS powder coating white with decorative plastic end covers
- Retrofitted with T8 LED Tube
- Applications: General Lighting, Residences, Corridors, Libraries, Retail, Waiting Rooms & Railway Platforms.



## TARA-E/TARA-Ei

- MS powder coating white with plastic end caps
- Retrofitted with T8 LED Tube
- Applications: General Lighting, Residences, Corridors, Libraries, Retail, Waiting Rooms & Railway Platforms.

## T8 BATTEN: TARA-M & TARA-Mi SERIES

PRODUCT CODE	ORDERING CODE	DESCRIPTION	STD. PKG. (NOS.)	LP ₹ EACH
TARA-M/10W	LTDC01210WLED/WD	1X10W MS WHITE POWDER COATED DECORATIVE LED T8 BATTEN WITH PC TUBE	10	600
TARA-M/20W	LTDC01220WLED/WD (LTDC0161820WLED + LT4F20WLEDT8/WD)	1X20W MS WHITE POWDER COATED DECORATIVE LED T8 BATTEN WITH PC TUBE	10	800
TARA-Mi/20W	LTDC01220WLED/WDI (LTDC0161820WLED + LT4F20WLEDT8/WDI)	1X20W MS WHITE POWDER COATED DECORATIVE LED T8 BATTEN WITH GLASS TUBE	10	700

LED MS batten with decorative end cap complete with retrofit T8 Polycarbonate / Glass Tube

## T8 BATTEN: TARA-E & TARA-Ei SERIES

PRODUCT CODE	ORDERING CODE	DESCRIPTION	STD. PKG. (NOS.)	LP ₹ EACH
TARA-E/20W	LTDC1220WLED/WD (LTDC161820WLED + LT4F20WLEDT8/WD)	1X20W LED MS BATTEN WITH RETROFIT T8 POLYCARBONATE TUBE	10	700
TARA-Ei/20W	LTDC1220WLED/WDI (LTDC161820WLED + LT4F20WLEDT8/WDI)	1X20W LED MS BATTEN WITH RETROFIT T8 GLASS TUBE	10	600

LED MS batten complete with retrofit T8 Polycarbonate / Glass Tube



# LED LAMPS & TUBES



## TARA

- High technology crosslinking polycarbonate T8 retrofit LED tube
- Retrofit solution to your existing T8 and T12 FTL lamps
- Applications: General Lighting, Residences, Corridors, Libraries, Retail, Waiting Rooms & Railway Platforms



## TARA-i

- High technology crosslinking glass T8 retrofit LED tube
- Retrofit solution to your existing T8 and T12 FTL lamps
- Applications: General Lighting, Residences, Corridors, Libraries, Retail, Waiting Rooms & Railway Platforms



## TARIKA

- Extruded aluminium heat sink with PC diffuser T5 LED tube
- Retrofit solution to existing T5 FTL lamps
- Applications: General Lighting, Residences, Corridors, Libraries, Retail, Waiting Rooms & Railway Platforms





## T8 RETROFIT TUBELIGHT: TARA SERIES

PRODUCT CODE	ORDERING CODE	DESCRIPTION	STD. PKG. (NOS.)	LP ₹ EACH
TARA/10W	LT2F10WLEDT8/WD	10W POLYCARBONATE LED T8 RETROFIT TUBE	20	400
TARA/16W	LT4F16WLEDT8/WD	16W POLYCARBONATE LED T8 RETROFIT TUBE	20	500
TARA/20W	LT4F20WLEDT8/WD	20W POLYCARBONATE LED T8 RETROFIT TUBE	20	525

LED retrofit T8 polycarbonate tube for replacing 2 ft. & 4ft. fluorescent tubelight.

## T8 RETROFIT TUBELIGHT: TARA-i SERIES

PRODUCT CODE	ORDERING CODE	DESCRIPTION	STD. PKG. (NOS.)	LP ₹ EACH
TARA-i/20W	LT4F20WLEDT8/WDI	20W GLASS LED T8 RETROFIT TUBE	20	425

LED retrofit T8 glass tube for replacing 4ft. fluorescent tubelight.

## T5 RETROFIT TUBELIGHT: TARIKA SERIES

PRODUCT CODE	ORDERING CODE	DESCRIPTION	STD. PKG. (NOS.)	LP ₹ EACH
TARIKA/18W	LT4F18WLEDT5/WD	18W POLYCARBONATE LED T5 RETROFIT TUBE	20	600

LED retrofit T5 Tube with polycarbonate diffuser and aluminium heat sink for replacing 4ft T5 FTLs.



## CHANDRA

- Aluminium heat sink powder coated white with PC diffuser
- Available in B22 & E27 Base caps
- Applications: General Lighting, Residences, Corridors, Retail, Staircase & Showrooms



## RETROFIT LAMP: CHANDRA SERIES


PRODUCT CODE	ORDERING CODE	DESCRIPTION	STD. PKG. (NOS.)	LP ₹ EACH
CHANDRA/0.5W/R/B22	LTHPLEDLAMP0.5WB22R BULB	0.5W LED BULB B22 RED	100	49
CHANDRA/0.5W/W/B22	LTHPLEDLAMP0.5WB22W BULB	0.5W LED BULB B22 WHITE	100	49
CHANDRA/0.5W/G/B22	LTHPLEDLAMP0.5WB22G BULB	0.5W LED BULB B22 GREEN	100	49
CHANDRA/0.5W/B/B22	LTHPLEDLAMP0.5WB22B BULB	0.5W LED BULB B22 BLUE	100	49
CHANDRA/0.5W/Y/B22	LTHPLEDLAMP0.5WB22Y BULB	0.5W LED BULB B22 YELLOW	100	49
CHANDRA/3W/W/B22	LTHPLEDLAMP3WB22 BULB	3W LED BULB B22 WHITE	60	105
CHANDRA/5W/W/B22	LTHPLEDLAMP5WB22 BULB	5W LED BULB B22 WHITE	60	115
CHANDRA/7W/W/B22	LTHPLEDLAMP7WB22 BULB	7W LED BULB B22 WHITE	60	125
CHANDRA/9W/W/B22	LTHPLEDLAMP9WB22 BULB	9W LED BULB B22 WHITE	60	135
CHANDRA/12W/W/B22	LTHPLEDLAMP12WB22 BULB	12W LED BULB B22 WHITE	60	229
CHANDRA/15W/W/B22	LTHPLEDLAMP15WB22 BULB	15W LED BULB B22 WHITE	60	249
CHANDRA/18W/W/B22	LTHPLEDLAMP18WB22 BULB	18W LED BULB B22 WHITE	60	349

## RETROFIT HIGH WATTAGE LAMP - CHANDRA SERIES

CHANDRA/30W/W/B22	LTHPLEDLAMP30WB22 BULB	30W HIGH WATTAGE LED BULB B22 WHITE	9	670
CHANDRA/40W/W/B22	LTHPLEDLAMP40WB22 BULB	40W HIGH WATTAGE LED BULB B22 WHITE	9	870
CHANDRA/50W/W/B22	LTHPLEDLAMP50WB22 BULB	50W HIGH WATTAGE LED BULB B22 WHITE	9	1150

Please add E27 after wattage e.g. LTHPLEDLAMP9WE27 BULB for E27 Base Cap Bulbs. Warm white available on request

# LANDSCAPE LIGHTS





# LANDSCAPE LIGHTS

Bollard

Post Top Lantern

Decorative Street Light



## CANIS/CANIS-M

- Decorative & cylindrical shape LED Bollard light with integrated driver
- Soft & comfortable uniform light distribution
- Applications: Garden lighting, Path ways & Landscape area lighting



## MUSCA/MUSCA-M

- Decorative & cylindrical shape LED Bollard light with integrated driver
- Soft & comfortable uniform light distribution
- Applications: Garden lighting, Path ways & Landscape area lighting



## BOLLARD: CANIS & CANIS-M SERIES

PRODUCT CODE	ORDERING CODE	DESCRIPTION	STD. PKG. (NOS.)	LP ₹ EACH
CANIS/6W	LTGLCW6WLED	6W DECORATIVE LED EXTRUDED ALUMINIUM BOLLARD	6	4899
CANIS/9W	LTGLCW9WLED	9W DECORATIVE LED EXTRUDED ALUMINIUM BOLLARD	6	5299
CANIS/10W	LTGLCW10WLED	10W DECORATIVE LED EXTRUDED ALUMINIUM BOLLARD	6	5699
CANIS-M/6W	LTGLCM6WLED	6W DECORATIVE LED EXTRUDED ALUMINIUM MINI BOLLARD	6	4699

Decorative LED Bollard light with integrated driver.

## BOLLARD: MUSCA & MUSCA-M SERIES

PRODUCT CODE	ORDERING CODE	DESCRIPTION	STD. PKG. (NOS.)	LP ₹ EACH
MUSCA/6W	LTGLC6WLED	6W DECORATIVE LED EXTRUDED ALUMINIUM BOLLARD	6	4000
MUSCA/9W	LTGLC9WLED	9W DECORATIVE LED EXTRUDED ALUMINIUM BOLLARD	6	4300
MUSCA-M/6W	LTGLCN6WLED	6W DECORATIVE LED EXTRUDED ALUMINIUM MINI BOLLARD	6	3900

Decorative LED Bollard light with integrated driver.



## LYNX/LYNX-M

- Decorative & cylindrical shape LED Bollard light with integrated driver
- Soft & comfortable uniform light distribution
- Applications: Garden lighting, Path ways & Landscape area lighting



## GRUS/GRUS-M

- Decorative & rectangular shape LED Bollard light with integrated driver
- Soft & comfortable uniform light distribution
- Applications: Garden lighting, Path ways & Landscape area lighting

## BOLLARD: LYNX & LYNX-M SERIES

PRODUCT CODE	ORDERING CODE	DESCRIPTION	STD. PKG. (NOS.)	LP ₹ EACH
LYNX/6W	LTGLCR6WLED	6W DECORATIVE LED EXTRUDED ALUMINIUM BOLLARD	6	5700
LYNX/9W	LTGLCR9WLED	9W DECORATIVE LED EXTRUDED ALUMINIUM BOLLARD	6	6100
LYNX-m/6W	LTGLCRM6WLED	6W DECORATIVE LED EXTRUDED ALUMINIUM MINI BOLLARD	6	5500
Decorative LED Bollard light with integrated driver.				

## BOLLARD: GRUS & GRUS-M SERIES

PRODUCT CODE	ORDERING CODE	DESCRIPTION	STD. PKG. (NOS.)	LP ₹ EACH
GRUS/6W	LTGLCG6WLED	6W DECORATIVE LED EXTRUDED ALUMINIUM BOLLARD	6	4500
GRUS/9W	LTGLCG9WLED	9W DECORATIVE LED EXTRUDED ALUMINIUM BOLLARD	6	4700
GRUS-M/6W	LTGLCGM6WLED	6W DECORATIVE LED EXTRUDED ALUMINIUM MINI BOLLARD	6	4400
Decorative LED Bollard light with integrated driver.				

# LANDSCAPE LIGHTS



## CETUS

- Decorative, Robust and reliable LED post top light with transparent diffuser
- Soft & comfortable uniform light distribution
- Applications: Parks, Garden lighting, Path ways & Landscape area lighting



## CETUS-M

- Decorative, Robust and reliable LED post top light with Milky diffuser
- Soft & comfortable uniform light distribution
- Applications: Parks, Garden lighting, Path ways & Landscape area lighting



## APUS

- Decorative, Robust and reliable LED post top light with transparent diffuser
- Soft & comfortable uniform light distribution
- Applications: Parks, Garden lighting, Path ways & Landscape area lighting

## POST TOP LANTERN: CETUS SERIES

PRODUCT CODE	ORDERING CODE	DESCRIPTION	STD. PKG. (NOS.)	LP ₹ EACH
CETUS/20W	LTGLC20WHPLED/W	20W DECORATIVE LED POST TOP LANTERN LIGHT	1	8000
CETUS/30W	LTGLC30WHPLED/W	30W DECORATIVE LED POST TOP LANTERN LIGHT	1	9000
CETUS/40W	LTGLC40WHPLED/W	40W DECORATIVE LED POST TOP LANTERN LIGHT	1	9999

Decorative LED Post top lantern with transparent diffuser.

## POST TOP LANTERN: CETUS-M SERIES


PRODUCT CODE	ORDERING CODE	DESCRIPTION	STD. PKG. (NOS.)	LP ₹ EACH
CETUS-M/20W	LTGLM20WHPLED/W	20W DECORATIVE LED POST TOP LANTERN LIGHT	1	8000
CETUS-M/30W	LTGLM30WHPLED/W	30W DECORATIVE LED POST TOP LANTERN LIGHT	1	9000
CETUS-M/40W	LTGLM40WHPLED/W	40W DECORATIVE LED POST TOP LANTERN LIGHT	1	9999

Decorative LED Post top lantern with milky diffuser.

## POST TOP LANTERN: APUS SERIES

PRODUCT CODE	ORDERING CODE	DESCRIPTION	STD. PKG. (NOS.)	LP ₹ EACH
APUS/60W	LTGL60WHPLED/W	60W DECORATIVE LED POST TOP LANTERN LIGHT	1	13000

Decorative LED Post top lantern with transparent diffuser.



## PYXIS

- Decorative LED Street light for city beautifications
- Soft & comfortable uniform light distribution
- Applications: Modern city, Heritage site, Waterfront & City Parks



## AURIGA

- Decorative LED Street light for city beautifications
- Soft & comfortable uniform light distribution
- Applications: Modern city, Heritage site, Waterfront & City Parks



## VICTORIAN

## C-TYPE



## DECORATIVE STREET LIGHT : PYXIS SERIES

PRODUCT CODE	ORDERING CODE	DESCRIPTION	STD. PKG. (NOS.)	LP ₹ EACH
PYXIS/60W	LTDSSP60WLED	60W POWDER COATED HEAVY SPUN ALUMINIUM HOUSING DECORATIVE LED STREET LIGHT	1	POR
PYXIS/90W	LTDSSP90WLED	90W POWDER COATED HEAVY SPUN ALUMINIUM HOUSING DECORATIVE LED STREET LIGHT	1	POR

Decorative LED Street Light for Garden Ways & other City beautification application. Arm with caps ordered seperately.



## DECORATIVE STREET LIGHT : AURIGA SERIES

PRODUCT CODE	ORDERING CODE	DESCRIPTION	STD. PKG. (NOS.)	LP ₹ EACH
AURIGA/60W	LTDSSA60WLED	60W POWDER COATED HEAVY SPUN ALUMINIUM HOUSING DECORATIVE LED STREET LIGHT	1	POR
AURIGA/120W	LTDSSA120WLED	120W POWDER COATED HEAVY SPUN ALUMINIUM HOUSING DECORATIVE LED STREET LIGHT	1	POR

Decorative LED Street Light for Garden Ways & other City beautification application. Arm with caps ordered seperately.

## DECORATIVE ARMS

PRODUCT CODE	ORDERING CODE	DESCRIPTION	STD. PKG. (NOS.)	LP ₹ EACH
C-TYPE ARM	LTDSSABLED	C-TYPE, SINGLE-ARM, POWDER COATED, DESIGNER BRACKET SUITABLE FOR AURIGA ANY PYXIS LUMINAIRE COMPLETE WITH ARM AND POLE-CAPPING SECTION WITH ID-60MM	1	POR
VICTORIAN TYPE ARM	LTDSSPBLED	VICTORIAN-TYPE, SINGLE-ARM, POWDER COATED, DESIGNER BRACKET SUITABLE FOR AURIGA ANY PYXIS LUMINAIRE COMPLETE WITH ARM AND POLE-CAPPING SECTION WITH ID-60MM	1	POR



## General Terms & Conditions:

1. LP is per unit basis and is subject to our general terms and conditions of business.
2. This price list supersedes all earlier price lists and is effective from 2nd April 2019.
3. As far as possible orders should be placed in case lot multiples.
4. List Prices (LP) wherever mentioned are exclusive of GST, cess, octroi, other taxes, levies and the same shall be charged extra as applicable.
5. All Prices indicated are Unit Prices and are in INR (Rupees).
6. Photographs are illustrative. Actual products may vary.
7. Owing to continuous innovation & improvement, C&S Electric reserves the right to make changes in the data / details without prior notice. C&S retains the right to regret orders less than a MOQ.
8. Prices are F.O.R. our Authorised Stockist location.
9. Prices are subject to change without prior notice & will be applicable as prevailing at the time of despatch.

## Warranty Clause:

C&S Electric undertakes to repair or replace products, at its discretion, which are found to be defective, solely as a result of faulty material and (or) workmanship within 2 years from the date of purchase for LED products. The warranty defines the company's entire liability and does not cover consequential loss or damage, or reinstallation cost arising from defective product. The company reserves the right to change/improve the design, without prior notice. In such cases, replacements shall be carried out, with design of the products/ accessories prevailing in time. The warranty for the products will be invalidated, if the product is altered or rectified.



# Customer Service Network

LV Components | LV Switchboard | Protection & Measurement Devices | Lighting

Providing Support

## 24x7

Any Time. Any Channel. Anywhere.

## Toll Free Number:

### 1800 3010 2012

Dedicated  
Customer Care  
Centre

52+  
Service Centres

50+  
Service Experts

50+  
C&S Certified  
Technicians

## Escalation Matrix

\*C&S Branch Service Engineer " ≥ 24 Hours"

\*Central Customer Services (CCS) " ≥ 48 Hours"  
Email: [lt.ccc@cselectric.co.in](mailto:lt.ccc@cselectric.co.in)

\*Central Customer Service (Head) " ≥ 72 Hours"  
Email.: [bikram.rana@cselectric.co.in](mailto:bikram.rana@cselectric.co.in)  
Email.: [level3.ccc@cselectric.co.in](mailto:level3.ccc@cselectric.co.in)  
Email.: [jitender.vashist@cselectric.co.in](mailto:jitender.vashist@cselectric.co.in)



**CENTRAL MARKETING OFFICE**

222, Okhla Industrial Estate, Phase - III, New Delhi - 110 020  
Ph. : (+91 11) 3384 9000 - 09 • Fax : (+91 11) 26847342 • E-Mail : cmo@cselectric.co.in

**NORTHERN REGION**

**DELHI**  
Ph. : (+91 11) 3384 9000 - 09  
Fax : (+91 11) 26847342  
E-Mail : cmo@cselectric.co.in

**CHANDIGARH**  
Ph. : (+91 172) 3021144  
Fax : (+91 172) 2631059-3201144  
E-Mail : chandigarh@cselectric.co.in

**LUDHIANA**  
Ph. : (+91 161) 2541900, 2541800  
Fax : (+91 161) 2541900, 2541800  
E-Mail : ludhiana@cselectric.co.in

**LUCKNOW**  
Ph. : (+91 522) 3917843, 4102044  
E-Mail : lucknow@cselectric.co.in

**KANPUR**  
Ph. : (+91 522) 3917843, 4102044  
E-Mail : kanpur@cselectric.co.in

**JAIPUR**  
Ph. : (+91 141) 4037651  
Fax : (+91 141) 4033954  
E-Mail : jaipur@cselectric.co.in

**CENTRAL REGION**

**INDORE**  
Ph. : (+91 731) 4035761, 3918020  
E-Mail : indore@cselectric.co.in

**RAIPUR**  
Ph. : (+91 771) 4061404  
E-Mail : raipur@cselectric.co.in

**NAGPUR**  
Ph. : (+91 712) 2565215 , 2547295  
Fax : (+91 712) 2528923  
E-Mail : nagpur@cselectric.co.in

**EASTERN REGION**

**KOLKATA**  
Ph. : (+91 33) 22275850 - 51  
Fax : (+91 33) 22275849  
E-Mail : kolkata@cselectric.co.in

**GUWAHATI**  
Ph. : (+91 361) 2469950  
E-Mail : guwahati@cselectric.co.in

**RANCHI**  
Ph. : (+91 651) 2242202, 2242224  
E-Mail : ranchi@cselectric.co.in

**CUSTOMER CARE**

Toll Free Number: 1800 3010 2012  
E-mail: customercare@cselectric.co.in

**BHUBANESWAR**

Ph. : (+91 674) 2580788, 9778070465  
E-Mail : bhubaneshwar@cselectric.co.in

**WESTERN REGION**

**MUMBAI**  
Ph. : (+91 22) 24114727-28, 30484071-73  
Fax : (+91 22) 24126631  
E-Mail : mumbai@cselectric.co.in

**AHMEDABAD**

Ph. : (+91 79) 30074512 - 14  
Fax : (+91 79) 30074519  
E-Mail : ahmedabad@cselectric.co.in

**BARODA**

Ph. : (+91 265) 2339479, 2356293  
Fax : (+91 265) 2338754  
E-Mail : baroda@cselectric.co.in

**PUNE**

Ph. : (+91 20) 30283239 - 40  
Fax : (+91 20) 30283239  
E-Mail : pune@cselectric.co.in

**SURAT**

Ph. : (+91 261) 6544024-28  
E-Mail : surat@cselectric.co.in

**SOUTHERN REGION**

**CHENNAI**  
Ph. : (+91 44) 39180512 - 15  
Fax : (+91 44) 39180514  
E-Mail : chennai@cselectric.co.in

**COIMBATORE**  
Ph. : (+91 422) 3048406 - 20  
Fax : (+91 422) 3048412  
E-Mail : coimbatore@cselectric.co.in

**KOCHI**

Ph. : (+91 484) 3071715 (10 LINES)  
Fax : (+91 484) 3071716  
E-Mail : cochin@cselectric.co.in

**MADURAI**

E-Mail : commercialmadurai@cselectric.co.in

**BENGALURU**

Ph. : (+91 80) 30570365 / 364  
Fax : (+91 80) 25594939  
E-Mail : bangalore@cselectric.co.in

**SECUNDERABAD**

Ph. : (+91 40) 39182478 - 480  
Fax : (+91 40) 27812967  
E-Mail : hyderabad@cselectric.co.in

**VIJAYAWADA**

Ph. : (+91 866) 2496265 / 67  
E-Mail : vijayawada@cselectric.co.in

**RESIDENT ENGINEERS**

Agra | Allahabad | Aurangabad | Bareilly | Bhopal | Dehradun | Goa | Gorakhpur | Haridwar | Hubli | Jabalpur | Jammu | Kolhapur | Kollam  
Mangalore | Mehsana | Nashik | Patna | Rajkot | Rourkela | Siliguri | Srinagar | Tirupathi | Trichy | Udaipur | Una | Vapi | Visakhapatnam

**WAREHOUSES**

**NATIONAL WAREHOUSE**

NOIDA - B-58, Sector-80, Phase-II, Noida - 201305 (UP) Ph.: (+91 120) 3857483/84/88/89

**REGIONAL WAREHOUSES**

**LUCKNOW** 3rd Floor, E-143, Phase-I, Transport Nagar, Kanpur Road, Lucknow - 17 Ph.: (+91 522) 4103460  
**INDORE** Liberty Agencies 53, Udyog Nagar, Near Musakhedi Square, Ring Road, Indore-452001 Ph.: (+91) 88780-62000 / 64000  
**KOLKATA** 113, Chetla Road, New Alipur, Kolkata - 700 053, Ph.: (+91 33) 22275849 - 51  
**RANCHI** Plot No. 145/C, Mandir Marg-D, Road No. 4, Ashok Nagar, Distt. Ranchi, Jharkhand - 834002 Ph.: (91 651) 2242202, 2242224  
**MUMBAI** E-5, Parasnath Complex, Gala No.8, Village 'VAL' Dapode Road, Taluka Bhiwandi, District, Thane - 421302 Ph.: (+91 2522) 314830  
**AHMEDABAD** B-25-B/C Meldi Industrial Estate, Opp. West Coast Pharmaceutical, Nr. Gota Over Bridge, Gota, Ahmedabad - 382481 Ph.: (+91 79) 65453044  
**BENGALURU** No. 17, 1st Main Road, Sampangiram Nagar, Bengaluru - 560 027 Ph.: (+91 80) 41125467

